

Grade : MA201 ABS Resin**1. Chemical Product & Company Identification**

a. Chemical Product Name	Acrylonitrile, 1,3 Butadiene, and Styrene Co-polymer
b. Usage	Electronic Goods, Automotive Parts, Package, etc
c. Chemical Type	Thermoplastics
d. Company's Address	LG Chem, Ltd. 20, Yeouido-dong, Yeongdeungpo-gu, Seoul, 150-721, Korea
e. Phone / Fax number	82-2-3773-3324, 3985 / 82-2-3773-3310
f. Prepared By	ABS / PS Division

2. Composition / Information On Ingredients

	<u>CAS Number</u>	<u>Contents</u>
a. ABS (Acrylonitrile-Butadiene-Styrene)	9003-56-9	98-100%
b. Typical Lubricant		0 - 1%
c. Typical Antioxidant		0 - 1%

3. Hazards Identification**a. Threshold Limit****b. Effect of overexposure**

- **Eye Contact** Solid or dust may cause irritation or corneal injury due to mechanical action
- **Skin Contact** Essentially nonirritating to skin, Mechanical injury only
- **Skin Absorption** Unlikely due to physical properties
- **Ingestion** Unlikely due to physical state.
- **Inhalation** Dust may cause irritation to respiratory
In case of breathing, fumes released from heated material may cause respiratory irritation
- **Chronic Effects** Not Available
- **Mutagenicity** Not Available

Grade : MA201 ABS Resin**4. First AID**

- a. Eye Contact Immediately rinse eyes with copious amount of running water and seek medical advice
- b. Skin Contact Essentially nonirritating to skin but rinse with copious water
- c. Ingestion If vomiting occurs, lower the head to ease vomiting and seek for medical Advice
- d. Inhalation In case of breathing, fumes released from heated material may cause respiratory irritation
In case of inhaling dense smoke, immediately remove a person to fresh air. If necessary, apply artificial respiration and seek medical attention immediately
- e. Mutagenicity Not Available

5. Fire Fighting Measures

- a. Flammable Properties
- Flash Point Not applicable
 - Auto ignition Temperature Not applicable
- b. Extinguishing Media Usually use water and use extinguishing media appropriate to surrounding conditions
- c. Special Fire Fighting Procedure Cool Containers with water spray. In closed stores, provide fire fighter with self-contained breathing apparatus in positive pressure mode
- d. Usual Fire and Explosion Hazards Irritating gases and dense smoke

6. Accidental Release Measures

- a. Personal Precautions Pellets or beads may present a slipping hazard
- b. Environmental Precautions Keep out of irrigation ditches, sewers, and water supplies
Spills should be collected to prevent contamination of waterways
- c. Cleanup Sweep up

7. Handling and Storage

- a. Handling *Avoid formation of dust. Avoid fire and heating above 60°C.
Keep bags always closed / Keep container lightly closed
Avoid pellets / bags from getting wet*
- b. Storage *Keep bags / containers in a well-ventilated place
Avoid pellets / bags from getting wet*

8. Exposure Controls / Personal Protection

- a. Engineering Controls *Good general ventilation should be sufficient for most conditions.
Local exhaust ventilation may be necessary for some operations*
- b. Personal Protective Equipment
- Eye / Face Protection *Use safety glasses. If there is a potential for exposure to particles which
Could cause mechanical injury to the eye, wear chemical goggles*
 - Skin Protection *No Precautions other than clean body-covering clothing should be needed*
 - Respiratory Protection *For most conditions, no respiratory protection should be needed ; however,
If handling at elevated temperatures without sufficient ventilation, use an
approved air-purifying respirator. In dusty atmospheres, use an approved
dust respirator*
- c. Exposure Guideline (s) *Although some of the additives used in this product may have exposure
guidelines, these additives are encapsulated in the product and
no exposure would be expected under normal handling conditions*

9. Physical And Chemical Properties

- a. Appearance *Pellet (Colored solid)*
- b. Odor *Almost Odorless*
- c. pH *Neutral*
- d. Boiling Point *Not applicable at standard condition*
- e. Evaporation Rate *Not applicable at standard condition*
- f. Specific Gravity *1.19*
- g. Vapor Pressure *Not applicable at standard condition*
- h. Vapor Density *Not applicable at standard condition*
- i. Solubility in Water *insoluble*
- j. Solubility in other Solvent *Soluble in THF, Acetone and other Analogous Solvents*

**Material Safety Data Sheet
(MSDS)**

Document ID	ABS - ABS3-MA201
Issued Date	2005.06.01
Revised Date	-
Page	4 of 5

Grade : MA201 ABS Resin**10. Stability and Reactivity**

- | | |
|-------------------------------------|------------------------------------|
| a. Stability | Stable under normal condition |
| b. Storage conditions to avoid | Avoid fire and heating above 60 °C |
| c. Incompatibility | None known |
| d. Hazardous decomposition products | Not applicable |
| e. Hazardous polymerization | Not occur |

11. Toxicological Information

See Section 3 for Potential Health Effects. For detailed toxicological data, Write or call the address or phone number shown in Section 1.

12. Ecological Information**a. Environmental Fate**

- Movement & Partitioning No bioconcentration is expected because of the high molecular weight (MW>1000). In the terrestrial environment, material is expected to remain in the soil. In the aquatic environment, material will sink and remain in the sediment.
- Degradation & Persistence This water insoluble polymeric solid is expected to be inert in the environment. Surface degradation is expected with exposure to sunlight. No appreciable biodegradation is expected.

b. Ecotoxicity

Not Expected to be acutely toxic, but pellets, if ingested by waterfowl or aquatic life, may mechanically cause adverse effects.

13. Disposal Considerations

Disposal : Do not Dump into any sewers, on the ground, or into any body of water.

All disposal methods must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with appliance laws are the responsibility solely of the waste generator.

For unused & uncontaminated product, the preferred options include sending to a licensed, permitted : recycler, reclaimer, incinerator or other thermal destruction device.

**Material Safety Data Sheet
(MSDS)****Grade : MA201 ABS Resin**

Document ID	ABS - ABS3-MA201
Issued Date	2005.06.01
Revised Date	-
Page	5 of 5

14. Transport Information

Not classified as hazardous under transport regulations.

15. Other Information

Product should be handled, stored, and used in accordance with the generally accepted industrial hygiene practices and in conformity with all the applicable legal regulations.

The information provided herein is based on the knowledge possessed at this present time from the view point of safety requirements.

It should, therefore, not be construed as guaranteeing specific properties.